



# eir KPI Report Jul - Sep 2020

Version: 1

Date: 30/11/2020

---

Please note that for the purposes of the Freedom of Information Acts, 1997 and 2003, and, in the context of eircom's general rights and obligations, information supplied in this document may contain commercially sensitive and price sensitive information consisting of financial, commercial, technical or other information whose disclosure to a third party could result in financial loss to eircom, or could prejudice the competitive position of eircom in the conduct of its business, or could otherwise prejudice the conduct or outcome of contractual or other negotiations to which eircom is a party or could result in a breach of the laws regarding Insider Dealing.

No part of this document, or any software included with it, may be reproduced, stored in a retrieval system, or transmitted in any form or by any means, including photocopying, electronic, mechanical, recording or otherwise, except in accordance with written agreement with eircom Limited. The disclosure of its contents to any third party is strictly prohibited without the prior written consent of eircom Limited.

In September 2010 ComReg issued a consultation document on the Introduction of Key Performance Indicators for Regulated Markets. This consultation proposed the introduction of KPIs in four regulated markets:

- Retail Narrowband Access
- Wholesale Broadband Access
- Wholesale Physical Network Infrastructure Access, and
- Terminating Segments of Wholesale Leased Lines

Services are made available by alternative providers in all of these markets and many are based on wholesale elements supplied by eir.

In June 2011 ComReg issued Response to Consultation and Decision Notice (D05/11) directing eir to publish all of the proposed KPIs in a single place to enable explicit comparisons to be made between Wholesale outputs and the equivalent inputs provided to eir Retail.

This transparency provides an assurance to consumers that the products and related services used by both eir retail and open eir customers are of the same standard, and that no discrimination in respect of **eir's** wholesale services occurs.

# Products included in the KPI metrics -

## Retail Narrowband Access Market –

(i) SB-WLR (ii) WLA and (iii) eir's Retail PSTN & ISDN BRA products

## Wholesale Bitstream Access Market – Current Generation

(i) Wholesale Bitstream Services and (ii) eir Retail Broadband Services

## Wholesale Physical Network Infrastructure Access Market –

(i) Line Share and (ii) eir Retail Broadband Service

(iii) ULMP / GLUMP Services and (iv) eir Retail PSTN&ISDN Service and

## Wholesale Terminating Segment of Wholesale Leased Lines Market –

(i) Wholesale provided traditional Leased Lines / PPC EULs, and (ii) eir Retail provided traditional Leased Lines and

(iii) Wholesale provided NGN Ethernet Leased Lines / WSEA and (iv) eir Retail provided NGN Ethernet Leased Lines

## Wholesale Bitstream Access Market – Next Generation

(i) NGA FTTC POTs Based Services (ii) NGA FTTC Standalone and (iii) NGA FTTH

# Summary of KPI metrics -

The KPI metrics for each Market are split between Supply and Repair of Service

## Metrics associated with Supply of Services

% connections in x working days

Average connection time

Quality of supply (included for narrowband and broadband markets)

## Metrics associated with Repair of Services

% repairs in x working days

Average repair time

Quality of repair (included for narrowband and broadband markets)

# List of tables KPI metrics -

Table 1: Retail Narrowband Access KPIs

Table 2: Wholesale Broadband Access KPIs

Table 3: Wholesale Physical Network Infrastructure Access (Line Share) KPIs

Table 4: Wholesale Physical Network Infrastructure Access (ULMP) KPIs

Table 5: Terminating Segments of Leased Lines (Leased Line Supply) KPIs

Table 6: Terminating Segments of Leased Lines (NGN Ethernet Supply) KPIs

Table 7: Terminating Segments of Leased Lines (Leased Line Order Designation) KPIs

Table 8: Terminating Segments of Leased Lines (NGN Ethernet Order Designation) KPIs

Table 9: Terminating Segments of Leased Lines (Fault Repair) KPIs

Table 10: Next Generation Access FTTC POTs Based Services

Table 11: Next Generation Access FTTC Standalone Services

Table 12: Next Generation Access FTTH Services

# Retail Narrowband Access KPIs

---

Table 1



# Table 1 : Narrowband Access KPIs

## In-Situ /EE Connection

This refers to all Electronically Enabled lines or Electronic Transfer of lines to/from SB-WLR/WLA/Retail PSTN & ISDN BRA

Order Types Included: LNI (New Line In-Situ), MI (Move In-Situ), PW (Provide SB-WLR)

## Other Connection

This refers to all new line connections in SB-WLR/WLA/Retail PSTN&ISDN BRA

Order Types Included: LNN (New Line Non In-Situ), MN (Move Non In-Situ)



# Table 1 : Narrowband Access KPIs

	Jul-20			Aug-20			Sep-20		
	Retail	SB-WLR	WLA	Retail	SB-WLR	WLA	Retail	SB-WLR	WLA
<b>Metrics associated with Supply of Service</b>									
1.1 In-Situ/EE Connection in 2WD	92.28%	97.93%	91.48%	88.33%	97.92%	98.28%	92.44%	97.99%	94.31%
1.2 Average In-Situ/EE Connection Time (WDs)	1.264	0.501	1.306	0.922	0.463	1.027	0.909	0.480	1.243
1.3 Quality of In-Situ/EE Supply	98.19%	98.62%	97.26%	98.70%	98.87%	98.77%	98.37%	98.43%	98.36%
1.4 Average In-Situ/EE Connection W/Port Time (WDs)	0.500	0.674	0.000	4.500	2.273	1.500	1.250	1.067	0.000
1.5 Quality of In-Situ/EE W/Port Supply	100.00%	95.65%	100.00%	50.00%	100.00%	100.00%	75.00%	96.00%	100.00%
1.6 Other Connections in 10WD	90.12%	100.00%	100.00%	94.19%	100.00%	76.92%	88.89%	100.00%	100.00%
1.7 Average Other Connections Supply Time (WDs)	10.086	2.871	4.160	4.465	2.464	7.462	3.889	2.457	3.618
1.8 Quality of Other Connections Supply	100.00%	96.77%	100.00%	98.84%	96.43%	100.00%	98.99%	97.14%	94.12%
1.9 Other Connections Appointment based	100.00%	100.00%	100.00%	100.00%	100.00%	100.00%	100.00%	100.00%	100.00%
<b>Metrics associated with Repair of Service</b>									
1.10 Fault Repair in 2WD	84.85%	86.05%	85.23%	80.22%	82.02%	79.12%	79.55%	80.59%	77.90%
1.11 Fault Repair in 5WD	97.37%	98.38%	97.44%	96.15%	96.17%	96.35%	95.28%	95.48%	94.75%
1.12 Fault Repair in 10WD	99.05%	99.57%	99.46%	98.95%	98.99%	99.36%	98.76%	98.43%	98.72%
1.13 Average Fault Repair Time (WDs)	1.532	1.405	1.493	1.749	1.698	1.713	1.828	1.807	1.820
1.14 Fault Incidence	1.035	0.823	1.203	0.774	0.713	1.030	0.928	0.751	1.108
1.15 Quality of Repair	93.72%	93.86%	92.01%	93.41%	93.33%	92.47%	92.84%	92.65%	91.96%

Table 1 : Narrowband Access KPIs

# Table 1 : Narrowband Access KPIs

## Comment on Table 1

### In-Situ/EE Connections

The PW transfer order has an inbuilt delay where the line configuration is done at 4am. Therefore if an order is received at 9am it will validate and do all the necessary steps, usually within minutes, but then the system waits until 4am before configuring the line. As a result PW orders will not be delivered on the same day as the order is received.

02

# Wholesale Broadband Access KPIs

---

Table 2

## Table 2 : Broadband Access KPIs

### Transfer Connection

This refers to all Electronic Transfer of Broadband services to/from wholesale customers / Retail customers (excludes transfers with jumpering)

Order Types Included: XB (Transfer Bitstream )

### Other Connections

This refers to all new Broadband connections

Order Types Included: PB (Provide Bitstream)

# Table 2: Broadband Access KPIs

	Jul-20		Aug-20		Sep-20	
	Retail Broadband	Wholesale Bitstream	Retail Broadband	Wholesale Bitstream	Retail Broadband	Wholesale Bitstream
<b>Metrics associated with Supply of Service</b>						
2.1 Transfer Connection in 2WD	100.00%	99.75%	100.00%	100.00%	100.00%	99.73%
2.2 Average Transfer Connection Time (WDs)	0.039	0.012	0.063	0.053	0.062	0.080
2.3 Quality of Transfer Supply	99.51%	99.75%	100.00%	99.71%	100.00%	99.47%
2.4 Other Connections in 5WD	100.00%	98.95%	97.62%	99.17%	98.16%	97.59%
2.5 Average Other Connections Supply Time (WDs)	1.32	0.18	1.99	0.20	2.01	0.16
2.6 Quality of Other Connections Supply	96.13%	97.91%	96.03%	99.17%	96.32%	96.39%
<b>Metrics associated with Repair of Service</b>						
2.7 Fault Repair in 2WD	87.42%	87.50%	88.89%	82.56%	87.36%	81.16%
2.8 Fault Repair in 5WD	98.74%	97.22%	98.89%	98.84%	95.40%	100.00%
2.9 Fault Repair in 10WD	98.74%	98.61%	100.00%	100.00%	98.85%	100.00%
2.10 Average Fault Repair Time (WDs)	1.428	1.359	1.206	1.484	1.451	1.437
2.11 Quality of Repair	98.74%	98.61%	98.89%	98.84%	97.70%	100.00%

Table 2: Broadband Access KPIs

# Table 2 : Broadband Access KPIs

Comment on Table 2

03

# Wholesale Physical Network Infrastructure Access (Line Share) KPIs

---

Table 3

# Table 3 : Wholesale Physical Network Infrastructure<sup>open</sup> Access (Line Share) KPIs



## All Connection

This refers to all new Line Share connections and Retail Broadband connections that require jumpering  
Order Types Included: PLS (Provide Line Share)



# Table 3: Wholesale Physical Network Infrastructure Access (Line Share) KPIs



	Jul-20		Aug-20		Sep-20	
	Retail Broadband	Wholesale Line Share	Retail Broadband	Wholesale Line Share	Retail Broadband	Wholesale Line Share
<b>Metrics associated with Supply of Service</b>						
3.1 Connections in 5WD	100.00%	98.64%	95.77%	93.81%	97.14%	93.23%
3.2 Average Supply Time (WDs)	1.896	1.619	3.535	2.773	3.076	3.075
3.3 Quality of Supply	93.91%	95.24%	94.37%	95.88%	94.29%	95.49%
<b>Metrics associated with Repair of Service</b>						
3.4 Fault Repair in 2WD	89.67%	89.47%	85.71%	95.00%	87.64%	95.65%
3.5 Fault Repair in 5WD	99.53%	94.74%	96.75%	100.00%	97.75%	100.00%
3.6 Fault Repair in 10WD	99.53%	100.00%	100.00%	100.00%	100.00%	100.00%
3.7 Average Fault Repair Time (WDs)	1.262	1.249	1.330	1.024	1.282	1.148
3.8 Quality of Repair	98.59%	100.00%	100.00%	100.00%	97.19%	91.30%

Table 3: Wholesale Physical Network Infrastructure Access (Line Share) KPIs

# Table 3 : Wholesale Physical Network Infrastructure Access (Line Share) KPIs



Comment on Table 3

04

# Wholesale Physical Network Infrastructure Access (ULMP) KPIs

---

Table 4



# Table 4 : Wholesale Physical Network Infrastructure Access (ULMP) KPIs



## In-Situ Transfer Connection

This refers to all new ULMP connections from other ULMP/SB-WLR/WLA/eir Retail operators and eir Retail connections from ULMP operators

Order Types Included: PUI (Provide ULMP on In-Situ Line), PU (Provide ULMP on active line), PUG (Provide ULMP with GNP on active line)

## Connections

This refers to all new line connections and eircom Retail new line connections

Order Types Included: PUS (Provide ULMP on a Spare Path / new Non-Insitu Line)

## Other Connection Appointment based

This refers to all new line connections

Order Types Included: PUN (Provide ULMP new)

# Table 4: Wholesale Physical Network Infrastructure Access (ULMP) KPIs



	Jul-20		Aug-20		Sep-20	
	Retail	Wholesale ULMP	Retail	Wholesale ULMP	Retail	Wholesale ULMP
<b>Metrics associated with Supply of Service</b>						
4.1 In-Situ Transfer Connections in 5WD	N/A	N/A	N/A	N/A	N/A	N/A
4.2 Average In-Situ Transfer Connection Supply Time (WDs)	N/A	N/A	N/A	N/A	N/A	N/A
4.3 Quality of In-Situ Transfer Supply	N/A	N/A	N/A	N/A	N/A	N/A
4.4 Connections in 10WD	90.12%	100.00%	94.19%	66.67%	88.89%	100.00%
4.5 Average Supply Time (WDs)	10.086	2.429	4.465	3.333	3.889	2.000
4.6 Quality of Supply	100.00%	100.00%	98.84%	66.67%	98.99%	100.00%
4.7 Other Connections Appointment based	100.00%	N/A	100.00%	N/A	100.00%	N/A
<b>Metrics associated with Repair of Service</b>						
4.8 Fault Repair in 2WD	81.85%	50.00%	78.86%	100.00%	77.94%	60.00%
4.9 Fault Repair in 5WD	96.63%	100.00%	95.84%	100.00%	94.89%	60.00%
4.10 Fault Repair in 10WD	98.99%	100.00%	98.92%	100.00%	98.63%	100.00%
4.11 Average Fault Repair Time (WDs)	1.597	1.831	1.872	1.276	1.956	3.848
4.12 Quality of Repair	94.26%	100.00%	94.94%	66.67%	94.81%	100.00%
4.13 Fault Incidence	0.272	0.073	0.179	0.110	0.213	0.186

Table 4: Wholesale Physical Network Infrastructure Access (ULMP) KPIs

# Table 4 : Wholesale Physical Network Infrastructure Access (ULMP) KPIs



## Comment on Table 4

### Other connections

As the volumes of ULMP connections are very low compared to eir Retail variations in the comparative performance between Retail and Wholesale can occur.

05

# Terminating Segments of Leased Lines (Leased Line Supply) KPIs

---

Table 5

# Table 5: Terminating Segments of Leased Lines (Leased Line Supply) KPIs



- **Leased Lines**

- This refers to all new Wholesale Leased Lines / PPC EULs and eir Retail Leased Lines
- The provisioning is split between Standard (STD), Project (PRJ) and Non-Standard (NSTD) Orders.
- Data orders are validated as Standard or Non-Standard.
- Standard: A circuit which is ordered and all components are available to eir to provide the circuit in the Standard lead times are validated as Standard.
- Non Standard: A circuit which is ordered and there are impediments to eir delivering the order. Orders that are validated as Non Standard are given a forecasted delivery date.
- Some Non Standard orders are designated as Project when eir assigns a project manager to implement them. Project orders include where a customer orders a number of circuits to the same premises or wishes them to be delivered over a set period of time. These orders are assigned a project manager and deemed to be a project. A Due Delivery Date is agreed between the customer and eir for delivery of the orders.

Note: The wholesale data recorded for Leased Line connections was taken from the underlying OSS Systems.



# Table 5: Terminating Segments of Leased Lines (Leased Line Supply) KPIs



	Retail				Wholesale			
	Jul-20							
<b>100% of Orders</b>	<b>STD</b>	<b>Prj</b>	<b>NSTD</b>	<b>Total</b>	<b>STD</b>	<b>Prj</b>	<b>NSTD</b>	<b>Total</b>
5.1: Average Supply Time < 2Mb/s (WDs)								
5.2: Average Supply Time = 2Mb/s (WDs)						485.0		485.0
5.3: Average Supply Time > 2Mb/s (WDs)								
<b>97.5% of Orders</b>	<b>STD</b>	<b>Prj</b>	<b>NSTD</b>	<b>Total</b>	<b>STD</b>	<b>Prj</b>	<b>NSTD</b>	<b>Total</b>
5.4: Average Supply Time < 2Mb/s (WDs)								
5.5: Average Supply Time = 2Mb/s (WDs)						485.0		485.0
5.6: Average Supply Time > 2Mb/s (WDs)								
	Aug-20							
<b>100% of Orders</b>	<b>STD</b>	<b>Prj</b>	<b>NSTD</b>	<b>Total</b>	<b>STD</b>	<b>Prj</b>	<b>NSTD</b>	<b>Total</b>
5.1: Average Supply Time < 2Mb/s (WDs)								
5.2: Average Supply Time = 2Mb/s (WDs)								
5.3: Average Supply Time > 2Mb/s (WDs)								
<b>97.5% of Orders</b>	<b>STD</b>	<b>Prj</b>	<b>NSTD</b>	<b>Total</b>	<b>STD</b>	<b>Prj</b>	<b>NSTD</b>	<b>Total</b>
5.4: Average Supply Time < 2Mb/s (WDs)								
5.5: Average Supply Time = 2Mb/s (WDs)								
5.6: Average Supply Time > 2Mb/s (WDs)								
	Sep-20							
<b>100% of Orders</b>	<b>STD</b>	<b>Prj</b>	<b>NSTD</b>	<b>Total</b>	<b>STD</b>	<b>Prj</b>	<b>NSTD</b>	<b>Total</b>
5.1: Average Supply Time < 2Mb/s (WDs)								
5.2: Average Supply Time = 2Mb/s (WDs)								
5.3: Average Supply Time > 2Mb/s (WDs)								
<b>97.5% of Orders</b>	<b>STD</b>	<b>Prj</b>	<b>NSTD</b>	<b>Total</b>	<b>STD</b>	<b>Prj</b>	<b>NSTD</b>	<b>Total</b>
5.4: Average Supply Time < 2Mb/s (WDs)								
5.5: Average Supply Time = 2Mb/s (WDs)								
5.6: Average Supply Time > 2Mb/s (WDs)								

Table 5: Terminating Segments of Leased Lines (Leased Line Supply) KPIs

# Table 5: Terminating Segments of Leased Lines (Leased Line Supply) KPIs



- Comment on Table 5
- The volumes of Leased Lines services are below a statistical threshold and therefore too low to be reasonably used to measure comparative performance between retail and wholesale

06

# Terminating Segments of Leased Lines (NGN Ethernet Supply) KPIs

---

Table 6

# Table 6: Terminating Segments of Leased Lines (NGN Ethernet Supply) KPIs



## NGN Ethernet

This refers to all new Wholesale NGN and eir Retail NGN Leased Lines

The provisioning is split between Standard (STD), Project (PRJ) and Non-Standard (NSTD) Orders.

Data orders are validated as Standard or Non-Standard.

Standard: A circuit which is ordered and all components are available to open eir to provide the circuit in the Standard lead times and are validated as Standard.

Non Standard: A circuit which is ordered and there are impediments to eir delivering the order. Orders that are validated as Non Standard are given a forecasted delivery date.

Some Non Standard orders are designated as Project when open eir assigns a project manager to implement them.

Note: The wholesale data recorded for NGN Ethernet connections was taken from the underlying OSS Systems.

# Table 6: Terminating Segments of Leased Lines (NGN Ethernet Supply) KPIs



	Retail				Wholesale			
<b>Jul-20</b>								
<b>100% of Orders</b>	<b>STD</b>	<b>Prj</b>	<b>NSTD</b>	<b>Total</b>	<b>STD</b>	<b>Prj</b>	<b>NSTD</b>	<b>Total</b>
6.1: Average Supply Time < 10Mb/s (WDs)								
6.2: Average Supply Time ≥ 10Mb/s (WDs)	19.8	15.0	35.0	21.1	21.5		58.4	29.6
<b>97.5% of Orders</b>	<b>STD</b>	<b>Prj</b>	<b>NSTD</b>	<b>Total</b>	<b>STD</b>	<b>Prj</b>	<b>NSTD</b>	<b>Total</b>
6.3: Average Supply Time < 10Mb/s (WDs)								
6.4: Average Supply Time ≥ 10Mb/s (WDs)	19.8	15.0	35.0	21.1	21.5		58.4	23.9
<b>Aug-20</b>								
<b>100% of Orders</b>	<b>STD</b>	<b>Prj</b>	<b>NSTD</b>	<b>Total</b>	<b>STD</b>	<b>Prj</b>	<b>NSTD</b>	<b>Total</b>
6.1: Average Supply Time < 10Mb/s (WDs)								
6.2: Average Supply Time ≥ 10Mb/s (WDs)	18.5		84.0	34.9	27.0	4.0	80.6	40.2
<b>97.5% of Orders</b>	<b>STD</b>	<b>Prj</b>	<b>NSTD</b>	<b>Total</b>	<b>STD</b>	<b>Prj</b>	<b>NSTD</b>	<b>Total</b>
6.3: Average Supply Time < 10Mb/s (WDs)								
6.4: Average Supply Time ≥ 10Mb/s (WDs)	18.5		84.0	34.9	25.9	4.0	80.6	36.0
<b>Sep-20</b>								
<b>100% of Orders</b>	<b>STD</b>	<b>Prj</b>	<b>NSTD</b>	<b>Total</b>	<b>STD</b>	<b>Prj</b>	<b>NSTD</b>	<b>Total</b>
6.1: Average Supply Time < 10Mb/s (WDs)								
6.2: Average Supply Time ≥ 10Mb/s (WDs)	19.3	31.0	53.0	26.5	24.4	80.3	97.8	46.4
<b>97.5% of Orders</b>	<b>STD</b>	<b>Prj</b>	<b>NSTD</b>	<b>Total</b>	<b>STD</b>	<b>Prj</b>	<b>NSTD</b>	<b>Total</b>
6.3: Average Supply Time < 10Mb/s (WDs)								
6.4: Average Supply Time ≥ 10Mb/s (WDs)	19.3	31.0	53.0	26.5	24.4	80.3	97.8	39.0

Table 6: Terminating Segments of Leased Lines (NGN Ethernet Supply) KPIs

# Table 6: Terminating Segments of Leased Lines (NGN Ethernet Supply) KPIs



- Comment on Table 6

The Supply of Service comparative performance between Retail and Wholesale were aligned in the three month period.

Consideration should be given to remove reporting of NGN Ethernet services below 10MB/s i.e. zero volumes for period in question.

07

# Terminating Segments of Leased Lines (Leased Line Order Designation) KPIs

---

Table 7



# Table 7: Terminating Segments of Leased Lines (Leased Line Order Designation) KPIs



## Leased Lines

This refers to all new Wholesale Leased Lines / PPC EULs and eir Retail Leased Lines

The provisioning is split between Standard (STD), Project (PRJ) and Non-Standard (NSTD) Orders.

Note: The wholesale data recorded for new Wholesale Leased Lines / PPC EULs and eir Retail Leased Lines was taken from the underlying OSS Systems



# Table 7: Terminating Segments of Leased Lines (Leased Line Order Designation) KPIs



	Retail			Wholesale		
<b>Jul-20</b>						
	STD	Prj	NSTD	STD	Prj	NSTD
7.1: 100% Orders < 2Mb/s				100%		
7.2: 100% Orders = 2Mb/s						
7.3: 100% Orders > 2Mb/s						
<b>Aug-20</b>						
	STD	Prj	NSTD	STD	Prj	NSTD
7.1: 100% Orders < 2Mb/s						
7.2: 100% Orders = 2Mb/s						
7.3: 100% Orders > 2Mb/s						
<b>Sep-20</b>						
	STD	Prj	NSTD	STD	Prj	NSTD
7.1: 100% Orders < 2Mb/s						
7.2: 100% Orders = 2Mb/s						
7.3: 100% Orders > 2Mb/s						

Table 7: Terminating Segments of Leased Lines (Leased Line Order Designation) KPIs

# Table 7: Terminating Segments of Leased Lines (Leased Line Order Designation) KPIs



## Comment on Table 7

The volumes of Leased Lines services are below a statistical threshold and therefore too low to be reasonably used to measure comparative performance between retail and wholesale



# Terminating Segments of Leased Lines (NGN Ethernet Order Designation) KPIs

---

Table 8



# Table 8: Terminating Segments of Leased Lines (NGN Ethernet Order Designation) KPIs



## NGN Ethernet

This refers to all new Wholesale WSEAs and eir Retail NGN Leased Lines

The provisioning is split between Standard (STD), Project (PRJ) and Non-Standard (NSTD) Orders.

Note: The wholesale data recorded for Wholesale NGN WSEAs and eir Retail NGN MSAs connections was taken from the underlying OSS Systems

# Table 8: Terminating Segments of Leased Lines (NGN Ethernet Order Designation) KPIs



	Retail			Wholesale		
<b>Jul-20</b>						
	<b>STD</b>	<b>Prj</b>	<b>NSTD</b>	<b>STD</b>	<b>Prj</b>	<b>NSTD</b>
8.1: 100% Orders < 10Mb/s						
8.2: 100% Orders ≥ 10Mb/s	76%	12%	12%	78%		22%
<b>Aug-20</b>						
	<b>STD</b>	<b>Prj</b>	<b>NSTD</b>	<b>STD</b>	<b>Prj</b>	<b>NSTD</b>
8.1: 100% Orders < 10Mb/s						
8.2: 100% Orders ≥ 10Mb/s	75%		25%	73%	2%	25%
<b>Sep-20</b>						
	<b>STD</b>	<b>Prj</b>	<b>NSTD</b>	<b>STD</b>	<b>Prj</b>	<b>NSTD</b>
8.1: 100% Orders < 10Mb/s						
8.2: 100% Orders ≥ 10Mb/s	77%	3%	20%	68%	7%	25%

Table 8: Terminating Segments of Leased Lines (NGN Ethernet Order Designation) KPIs

# Table 8: Terminating Segments of Leased Lines (NGN Ethernet Order Designation) KPIs



## Comment on Table 8

The Supply of Service comparative performance between Retail and Wholesale were aligned in the three month period.

- Consideration should be given to remove reporting on NGN Ethernet services below 10MB/s i.e. zero volumes for period in question

09

# Terminating Segments of Leased Lines (fault repair) KPIs

---

Table 9



# Table 9: Terminating Segments of Leased Lines (Fault Repair) KPIs



	Retail			Wholesale		
<b>Jul-20</b>						
	<8 WHs	<24 WHs	>24 WHs	<8 WHs	<24 WHs	>24 WHs
9.1:Leased Lines	100%					
9.2: NGN Ethernet	100%			100%		
<b>Aug-20</b>						
	<8 WHs	<24 WHs	>24 WHs	<8 WHs	<24 WHs	>24 WHs
9.1:Leased Lines	93%		7%	100%		
9.2: NGN Ethernet	100%			100%		
<b>Sep-20</b>						
	<8 WHs	<24 WHs	>24 WHs	<8 WHs	<24 WHs	>24 WHs
9.1:Leased Lines	90%	10%				
9.2: NGN Ethernet	100%			86%	14%	

Table 9: Terminating Segments of Leased Lines (Fault Repair) KPIs



# Table 9: Terminating Segments of Leased Lines (Fault Repair) KPIs



## Comment on Table 9

The variations in the volumes of faults between Retail and Wholesale can result in differences in the comparative performance

The wholesale data recorded for faults on Wholesale Leased Lines / PPC EULs and eir Retail Leased Lines was taken from the underlying OSS Systems

10

# Wholesale Broadband Access KPIs

---

Table 10



# Table 10 : NGA FTTC POTs Based Broadband Access KPIs



- Connections

This refers to all new provides of NGA FTTC POTs Based Broadband services to/from wholesale customers / Retail customers

Order Types Included: PPN, PPW

# Table 10: NGA FTTC POTs Based Broadband Access KPIs



FTTC - PB	Jul-20			Aug-20			Sep-20		
<b>Metrics associated with Supply of Service</b>	Retail	Operators	WLA	Retail	Operators	WLA	Retail	Operators	WLA
10.1 Appointments met by open eir	100.00%	100.00%	100.00%	100.00%	100.00%	100.00%	100.00%	100.00%	100.00%
10.2 Quality of Supply	99.46%	98.78%	98.94%	99.32%	98.43%	98.90%	98.68%	98.94%	99.67%
<b>Metrics associated with Repair of Service</b>									
10.3 Fault Repair in 2WD	87.27%	87.39%	N/A	82.08%	80.89%	N/A	77.31%	83.33%	N/A
10.4 Fault Repair in 5WD	98.14%	97.75%	N/A	98.70%	97.78%	N/A	95.76%	99.10%	N/A
10.5 Fault Repair in 10WD	100.00%	99.10%	N/A	99.67%	99.56%	N/A	99.25%	99.55%	N/A
10.6 Average Fault Repair Time (WDs)	1.32	1.4	N/A	1.46	1.6	N/A	1.75	1.5	N/A
10.7 Fault Incidence (%)	0.17	0.11	N/A	0.16	0.11	N/A	0.21	0.11	N/A
10.8 Quality of Repair	90.68%	93.69%	N/A	90.23%	92.00%	N/A	89.53%	90.54%	N/A

Table 10 : NGA FTTC POTs Based Broadband Access KPIs

# Table 10: NGA FTTC POTs Based Broadband Access KPIs



## Comment on Table 10

### Provisioning and Repair Of Service

The Supply of Service comparative performance between Retail and Wholesale were aligned in the three month period.

11

# Wholesale Broadband Access KPIs

---

Table 11



# Table 11 : NGA FTTC Standalone Broadband Access KPIs



- Connections

This refers to all new provides of NGA FTTC Standalone Broadband services to/from wholesale customers / Retail customers

Order Types Included: PNN, PNO, PNW

# Table 11: NGA FTTC Standalone Broadband Access KPIs



FTTC - SA	Jul-20			Aug-20			Sep-20		
<b>Metrics associated with Supply of Service</b>	Retail	Operators	WLA	Retail	Operators	WLA	Retail	Operators	WLA
11.1 Appointments met by open eir	100.00%	100.00%	100.00%	100.00%	100.00%	100.00%	100.00%	100.00%	100.00%
11.2 Quality of Supply	98.16%	96.85%	96.89%	97.94%	97.41%	97.18%	97.81%	97.24%	97.21%
<b>Metrics associated with Repair of Service</b>									
11.3 Fault Repair in 2WD	82.44%	85.19%	N/A	79.23%	82.23%	N/A	77.27%	80.28%	N/A
11.4 Fault Repair in 5WD	98.15%	98.13%	N/A	98.65%	97.75%	N/A	94.73%	96.96%	N/A
11.5 Fault Repair in 10WD	99.45%	99.49%	N/A	100.00%	99.72%	N/A	99.27%	98.78%	N/A
11.6 Average Fault Repair Time (WDs)	1.53	1.54	N/A	1.59	1.57	N/A	1.86	1.83	N/A
11.7 Fault Incidence (%)	0.78	0.80	N/A	0.62	0.72	N/A	0.76	0.77	N/A
11.8 Quality of Repair	94.82%	95.06%	N/A	92.33%	95.60%	N/A	92.91%	94.09%	N/A

Table 11 : NGA FTTC Standalone Broadband Access KPIs



# Table 11: NGA FTTC Standalone Broadband Access KPIs




Comment on Table 11

12

# Wholesale Broadband Access KPIs

---

Table 12



## Table 12 : NGA FTTH Broadband Access KPIs

- Connections

This refers to all new provides of NGA FTTH Broadband services to/from wholesale customers / Retail customers

Order Types Included: PPN, PPW, PNN, PNO, PNW

# Table 12: NGA FTTH Broadband Access KPIs



FTTH	Jul-20			Aug-20			Sep-20		
<b>Metrics associated with Supply of Service</b>	Retail	Operators	WLA	Retail	Operators	WLA	Retail	Operators	WLA
12.1 Appointments met by open eir	100.00%	100.00%	100.00%	100.00%	99.98%	100.00%	100.00%	99.98%	100.00%
12.2 Quality of Supply	98.38%	98.84%	98.81%	98.36%	99.09%	99.67%	98.69%	98.80%	98.38%
<b>Metrics associated with Repair of Service</b>									
12.3 Fault Repair in 2WD	78.88%	83.04%	N/A	80.89%	79.91%	N/A	74.28%	78.10%	N/A
12.4 Fault Repair in 5WD	97.20%	99.11%	N/A	98.17%	96.35%	N/A	97.38%	96.72%	N/A
12.5 Fault Repair in 10WD	99.49%	99.55%	N/A	99.74%	100.00%	N/A	100.00%	99.27%	N/A
12.6 Average Fault Repair Time (WDs)	1.54	1.37	N/A	1.55	1.58	N/A	1.65	1.66	N/A
12.7 Fault Incidence (%)	0.50	0.51	N/A	0.48	0.47	N/A	0.47	0.54	N/A
12.8 Quality of Repair	97.96%	99.11%	N/A	97.64%	100.00%	N/A	96.59%	100.00%	N/A

Table 12 : NGA FTTH Broadband Access KPIs

# Table 12: NGA FTTH Broadband Access KPIs

Comment on Table 12

